



Bureau de normalisation
du Québec

BNQ is a member of the National
Standards System (NSS).

ANNEX TO THE CERTIFICATE

SOLENO LLC

Page 1 of 2

66 Duplainville Road
Saratoga Springs, NY 12866 USA

BNQ 3624-120/2016-04-26

*Smooth Inside Wall Open-Profile Polyethylene (PE) Pipe and
Polyethylene (PE) Fittings for Storm Sewers, Culverts and Soil
Drainage*

Certificate number: **4433**
Issue date: **2025-11-17**
Expiry date: **2027-11-30**

SMOOTH INSIDE WALL OPEN-PROFILE PIPES

Diameter, mm	Class	Category	Type
1500 (integrated bell)	A	R95	1
The trade name of these pipes is: SOLFLOMAX			

R95: Minimum stiffness of 95 kPa, at 5 % deflection.

1: non-perforated. — 2: perforated.

DESIGNATED FITTINGS COMPATIBLE WITH CERTIFIED PIPES

Diameter, mm	Type	Product Code	Manufacturer
1500	Integral Bell and Spigot with gasket	216024CGK + GARNITURE60	Soleno

* Joint tightness (Clause 6.2.4) has NOT been verified, recognized solely for soil tight (ST) application.

Note — The designated fittings are not BNQ certified fittings. However, BNQ submit designated fittings to required testing to ensure their compatibility with the certified pipes.

THE ANNEX IS AN INTEGRAL PART OF THE CERTIFICATE.



Bureau de normalisation
du Québec

BNQ is a member of the National
Standards System (NSS).

ANNEX TO THE CERTIFICATE

SOLENO LLC

Page 2 of 2

66 Duplainville Road
Saratoga Springs, NY 12866 USA

BNQ 3624-120/2016-04-26

*Smooth Inside Wall Open-Profile Polyethylene (PE) Pipe and
Polyethylene (PE) Fittings for Storm Sewers, Culverts and Soil
Drainage*

Certificate number: **4433**
Issue date: **2025-11-17**
Expiry date: **2027-11-30**

HISTORY	
Date	Modification description
2025-11-17	Issuance of certificate.

THE ANNEX IS AN INTEGRAL PART OF THE CERTIFICATE.